


Lesson 73 1 of 7

Subtracting a one-digit number from a two-digit number using regrouping
and the subtraction facts of ten


Putting 4 two-digit numbers in order from greatest to least

30 = 3 tens

30 = 2 tens and 10 ones



becomes



Since 4 is greater than 0, one of the tens is changed to 10 ones.
The the 4 ones can then be subtracted leaving 6 ones and 2 tens.

Lesson 73 2 of 7

Subtracting a one-digit number from a two-digit number using regrouping
and the subtraction facts of ten

Putting 4 two-digit numbers in order from greatest to least

①
$$\begin{array}{r} 8 \quad 10 \\ 9 \quad 0 \\ - 1 \\ \hline 89 \end{array}$$

②
$$\begin{array}{r} 40 \\ - 4 \\ \hline \end{array}$$

③
$$\begin{array}{r} 20 \\ - 6 \\ \hline \end{array}$$

④
$$\begin{array}{r} 50 \\ - 3 \\ \hline \end{array}$$

⑤
$$\begin{array}{r} 40 \\ - 8 \\ \hline \end{array}$$

⑥
$$\begin{array}{r} 60 \\ - 9 \\ \hline \end{array}$$

Lesson 73 3 of 7

Subtracting a one-digit number from a two-digit number using regrouping and the subtraction facts of ten

Putting 4 two-digit numbers in order from greatest to least

① $\begin{array}{r} 8 \text{ } 10 \\ \cancel{9} \cancel{0} \\ - 1 \\ \hline 89 \end{array}$	② $\begin{array}{r} 3 \text{ } 10 \\ \cancel{4} \cancel{0} \\ - 4 \\ \hline 36 \end{array}$	③ $\begin{array}{r} 1 \text{ } 10 \\ \cancel{2} \cancel{0} \\ - 6 \\ \hline 14 \end{array}$	④ $\begin{array}{r} 4 \text{ } 10 \\ \cancel{5} \cancel{0} \\ - 3 \\ \hline 47 \end{array}$	⑤ $\begin{array}{r} 3 \text{ } 10 \\ \cancel{4} \cancel{0} \\ - 8 \\ \hline 32 \end{array}$	⑥ $\begin{array}{r} 5 \text{ } 10 \\ \cancel{6} \cancel{0} \\ - 9 \\ \hline 51 \end{array}$
--	--	--	--	--	--

Lesson 73 4 of 7

Subtracting a one-digit number from a two-digit number using regrouping
and the subtraction facts of ten

Putting 4 two-digit numbers in order from greatest to least

Put each set of numbers in order from greatest to least.

⑦ (24, 58, 31)

⑧ (72, 8, 18)

⑨ (27, 45, 86)

Lesson 73 5 of 7

Subtracting a one-digit number from a two-digit number using regrouping
and the subtraction facts of ten

Putting 4 two-digit numbers in order from greatest to least

Put each set of numbers in order from greatest to least.

⑦ (24, 58, 31)

58 31 24

⑧ (72, 8, 18)

72 18 8

⑨ (27, 45, 86)

86 45 27

Lesson 73 6 of 7

Subtracting a one-digit number from a two-digit number using regrouping
and the subtraction facts of ten

Putting 4 two-digit numbers in order from greatest to least

Put the numbers in order
from greatest to least.

(34, 45, 23)

$$\begin{array}{r} 40 \\ - 3 \\ \hline \end{array}$$

$$\begin{array}{r} 30 \\ - 0 \\ \hline \end{array}$$

1 90

Which number is third? _____

Lesson 73 7 of 7

Subtracting a one-digit number from a two-digit number using regrouping and the subtraction facts of ten

Putting 4 two-digit numbers in order from greatest to least

Put the numbers in order from greatest to least.

(34, 45, 23)

45 34 23

Which number is third? 23

$\begin{array}{r} 3\ 10 \\ 4\ 0 \\ -\ 3 \\ \hline 37 \end{array}$	$\begin{array}{r} 30 \\ -\ 0 \\ \hline 30 \end{array}$	<table border="1" style="border-collapse: collapse;"> <tr> <td style="border: none; border-radius: 50%; padding: 2px 5px;">1</td> <td style="padding: 2px 5px;">90</td> </tr> </table> $\begin{array}{r} 23 \\ 37 \\ +\ 30 \\ \hline 90 \end{array}$	1	90
1	90			